


Phycological Research

Volume 47 • Issue 2 • June 1999

ISSN 1322-0829



b

Blackwell
Science
Asia

The Japanese
Society of
Phycology

Phycological Research

EDITOR-IN-CHIEF

Hiroshi Kawai

Kobe University Research Center for Inland Seas, Rokkodai, Kobe 657-8501, Japan

ASSOCIATE EDITORS

Sung Min Boo

Department of Biology
Chungnam National
University
Korea

Eric C. Henry

Department of Botany
and Plant Pathology
Oregon State University
USA

Shuji Hino

Faculty of Science
Yamagata University
Japan

Robert J. King

School of Biological
Sciences
University of New South
Wales, Australia

In Kyu Lee

Department of Biology
Seoul National
University
Korea

Sandra C. Lindstrom

Department of Botany
University of British
Columbia, Canada

Taizo Motomura

Institute of Algological
Research, Hokkaido
University, Japan

Kazuo Okuda

Faculty of Science
Kochi University
Japan

Yoshihiro Shiraiwa

Institute of Biological
Sciences, University of
Tsukuba, Japan

Shin Watanabe

Faculty of Education
Toyama University
Japan

EDITORIAL ADVISORY BOARD

Robert A. Andersen *Maine, USA*

Yuji Fujita *Nagasaki, Japan*

Terumitsu Hori *Tsukuba, Japan*

Ichiro Imai *Kyoto, Japan*

Hironao Kataoka *Sendai, Japan*

Masao Ohno *Kochi, Japan*

Megumi Okazaki *Tokyo, Japan*

Noriko Takamura *Tsukuba, Japan*

Makoto M. Watanabe *Tsukuba, Japan*

John A. West *Melbourne, Australia*

Yasutsugu Yokohama *Shimoda, Japan*

EDITORIAL SECRETARY

Mitsunobu Kamiya *Kobe University Research Center
for Inland Seas*

PRODUCTION EDITOR

Amanda Davis *Blackwell Science Asia*

AIMS AND SCOPE *Phycological Research* is published by The Japanese Society of Phycology and complements *The Japanese Journal of Phycology*. The Journal publishes international, peer-reviewed research dealing with all aspects of phycology to facilitate the international exchange of results.

Phycological Research has been credited by the International Association for Plant Taxonomy for the purpose of registration of new non-vascular plant names (including fossils). For further information, see <http://bgbm3.bgbm.fu-berlin.de/iapt/registration/journals.htm>

EDITORIAL CORRESPONDENCE Papers and other material for publication should be sent to the Editor-in-Chief: Dr Hiroshi Kawai, Kobe University Research Center for Inland Seas, Rokkodai, Kobe 657-8501, Japan (fax: +81 78 803 5710; email: kawai@kobe-u.ac.jp). For details concerning the submission of papers to the Journal see the Notice to Contributors at the back of the Journal.

SUBSCRIPTIONS AND ADVERTISEMENT BOOKINGS The Journal is published quarterly and the 1999 subscription prices are: ¥36 400 (Japan) and A\$485.00/US\$300.00 (rest of world). The Journal is despatched to subscribers outside Australia by TNT Mailfast.

All matters relating to subscriptions, advertisement bookings, back issues, offprints and general enquiries should be sent to: Blackwell Science Asia, PO Box 378 (54 University Street), Carlton South, Victoria 3053, Australia. Email: info@blacksci-asia.com.au; fax: +61 3 9347 5001; tel: +61 3 9347 0300. Blackwell Science Asia provides a free-dial (Japanese language) service from Japan (tel: 00 31 61 6238).

THE JAPANESE SOCIETY OF PHYCOLOGY We invite anyone who is interested in any aspect of phycology to become a member of The Japanese Society of Phycology. As a member, you will receive *Phycological Research* free of charge. The annual membership fee for individuals is ¥8000. Members who reside outside Japan will receive the English journal *Phycological Research* only and the annual

membership fee is reduced to ¥7000 for standard members and ¥5000 for student members. Those who wish to join the Society should send the application form (at back of the Journal) together with payment to the Membership Secretary: Dr Koji Iwamoto, Institute of Biological Sciences, University of Tsukuba, 1-1-1 Tennoudai, Tsukuba city, Ibaraki 305-8572, Japan (fax: +81 298 53 6614; email: ivanov@anet.ne.jp)

Members who wish to claim for missing or damaged issues of the Journal should contact the Membership Secretary.

ABSTRACTING AND INDEXING SERVICES This journal is indexed by *BIOSIS Database*, *Cambridge Scientific Abstracts*, *Chemical Abstracts Service*, *Ecological Abstracts*, *Excerpta Medica*, *GEOBASE*, *UnCover*, *University Microfilms* and *Zoological Record*.

COPYRIGHT AND PHOTOCOPYING © 1999 Blackwell Science Asia Pty Ltd. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Science Asia Pty Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$14.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the publisher. 1322-0829/99 \$14.00

Publication of *Phycological Research* has been supported in part by a Grant-in-Aid for Publication of Scientific Results from the Ministry of Education, Science and Culture, Japan.

Cover Action spectra of phototaxis in selected dinoflagellates and cells of *Peridinium foliaceum*. For details see Horiguchi *et al.* (pp. 101–7).

The Japanese Society of Phycology

Officers for 1999–2000

President: Terumitsu Hori, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan
Secretary: Shinichi Miyamura, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan

Membership secretary: Koji Iwamoto, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan
Treasurer: Takeshi Nakayama, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan

Members of Executive Council 1999–2000

Tetsuro Ajisaka *Kyoto University*
Yusho Aruga
Yoshiaki Hara *Yamagata University*
Takeo Horiguchi *Hokkaido University*
Terunobu Ichimura *Hokkaido University*
Isao Inouye *University of Tsukuba*
Shigeo Kawaguchi *Kyushu University*
Miyuki Maegawa *Mie University*
Shigeki Mayama *Tokyo Gakugei University*

Hiroyuki Nakahara *Kyoto University*
Masao Ohno *Kochi University*
Shuji Ohtani *Shimane University*
Naotsune Saga *Tokai University*
Yoshihiro Shiraiwa *University of Tsukuba*
Yasutsugu Yokohama *University of Tsukuba*
Makoto Yoshizaki *Toho University*
Toshio Yotsui *Nagasaki Prefectural Institute of Fisheries*

JOIN THE JAPANESE SOCIETY OF PHYCOLOGY AND RECEIVE FOUR ISSUES OF *PHYCOLOGICAL RESEARCH* PER YEAR FREE OF CHARGE

The Japanese Society of Phycology, founded in 1952, currently has 760 members (including 105 overseas members). The Society is open to anyone who is interested in pure or applied aspects of phycology.

Application for membership

(Please type or write in block letters)

Membership starts from 1999

Name in full: _____
(Family name) (Given name and initials)

Mailing address: _____

(Postal code) (Country)

Telephone: _____ Fax: _____

E-mail: _____ Interests: _____

Signature: _____ Date: _____

The annual fee for individual members is ¥8000

(¥7000 for members who reside outside Japan, ¥5000 for students who submit a verifying statement signed by their Chairperson or Head of Department)

Payment by: Visa MasterCard American Express

Card number: _____ - _____ - _____ Expiry date: _____

Signature: _____

International giro postal transfer (Postal Account No.: 01320-4-48748)

International postal money order

Send application form to: Dr Koji Iwamoto
Institute of Biological Sciences
University of Tsukuba
1-1-1 Tennoudai, Tsukuba city
Ibaraki 305-8572, Japan
Fax: +81 852 32 6259; email: <ivanov@anet.ne.jp>

Phycological Research

Volume 47 • Issue 2 • June 1999

- Shuhei Fujii, Ryoichi Yamamoto, Shin Nakayama, Shinro Yasui and Paul A. Broady
Effects of salinity on growth and content of intracellular solutes in Heterococcus sp.
(Tribonematales, Xanthophyceae) from Antarctica 65
- Norishige Yotsukura, Takashi Denboh, Taizo Motomura, Takeo Horiguchi, Annette W. Coleman and Terunobu Ichimura
Little divergence in ribosomal DNA internal transcribed spacer -1 and -2 sequences among non-digitate species of Laminaria (Phaeophyceae) from Hokkaido, Japan 71
- Giuseppe C. Zuccarello, John A. West, Ulf Karsten and Robert J. King
Molecular relationships within Bostrychia tenuissima (Rhodomelaceae, Rhodophyta) 81
- Tsuyoshi Abe, Michio Masuda, Teruaki Suzuki and Minoru Suzuki
Chemical races in the red alga Laurencia nipponica (Rhodomelaceae, Ceramiales) 87
- Satoshi Shimada and Michio Masuda
Research note: *First report of Gelidiella ligulata (Gelidiales, Rhodophyta) in Japan* 97
- Takeo Horiguchi, Hiroshi Kawai, Mamoru Kubota, Tetsuo Takahashi, and Masakatsu Watanabe
Phototactic responses of four marine dinoflagellates with different types of eyespot and chloroplast 101
- Sung Min Boo, Wook Jae Lee, Hwan Su Yoon, Atsushi Kato and Hiroshi Kawai
Molecular phylogeny of Laminariales (Phaeophyceae) inferred from small subunit ribosomal DNA sequences 109
- John A. West and Giuseppe C. Zuccarello
Biogeography of sexual and asexual populations in Bostrychia moritziana (Rhodomelaceae, Rhodophyta) 115
- Shinya Uwai and Michio Masuda
Transfer of Pterosiphonia pumila Yendo to the genus Symphyocladia (Rhodomelaceae, Rhodophyta) 125
-

b

Blackwell
Science
Asia



1322-0829(199906)47:2;1-%