

Phycological Research

Volume 47 • Issue 3 • September 1999

ISSN 1322-0829



b

Blackwell
Science
Asia

The Japanese
Society of
Phycology

Phycological Research

EDITOR-IN-CHIEF

Hiroshi Kawai

Kobe University Research Center for Inland Seas, Rokkodai, Kobe 657-8501, Japan

ASSOCIATE EDITORS

Sung Min Boo Department of Biology Chungnam National University Korea	Eric C. Henry Department of Botany and Plant Pathology Oregon State University USA	Shuji Hino Faculty of Science Yamagata University Japan	Robert J. King School of Biological Sciences University of New South Wales, Australia	In Kyu Lee Department of Biology Seoul National University Korea
Sandra C. Lindstrom Department of Botany University of British Columbia, Canada	Taizo Motomura Institute of Algological Research, Hokkaido University, Japan	Kazuo Okuda Faculty of Science Kochi University Japan	Yoshihiro Shiraiwa Institute of Biological Sciences, University of Tsukuba, Japan	Shin Watanabe Faculty of Education Toyama University Japan

EDITORIAL ADVISORY BOARD

Robert A. Andersen Maine, USA	Hironao Kataoka Sendai, Japan	Makoto M. Watanabe Tsukuba, Japan
Yuji Fujita Nagasaki, Japan	Masao Ohno Kochi, Japan	John A. West Melbourne, Australia
Terumitsu Hori Tsukuba, Japan	Megumi Okazaki Tokyo, Japan	Yasutsugu Yokohama Shimoda, Japan
Ichiro Imai Kyoto, Japan	Noriko Takamura Tsukuba, Japan	

EDITORIAL SECRETARY

Mitsunobu Kamiya
Kobe University Research Center
for Inland Seas

PRODUCTION EDITOR

Amanda Davis
Blackwell Science Asia

AIMS AND SCOPE *Phycological Research* is published by The Japanese Society of Phycology and complements *The Japanese Journal of Phycology*. The Journal publishes international, peer-reviewed research dealing with all aspects of phycology to facilitate the international exchange of results.

Phycological Research has been credited by the International Association for Plant Taxonomy for the purpose of registration of new non-vascular plant names (including fossils). For further information, see <http://bgbm3.bgbm.fu-berlin.de/iapt/registration/journals.htm>

EDITORIAL CORRESPONDENCE Papers and other material for publication should be sent to the Editor-in-Chief-Elect: Taizo Motomura, Institute of Algological Research, Hokkaido University, Muroran 051-0003, Japan. (Fax: +81 143 22 4135; Email: <mtomomura@bio.sci.hokudai.ac.jp>). For details concerning the submission of papers to the Journal see the Notice to Contributors at the back of the Journal.

SUBSCRIPTIONS AND ADVERTISEMENT BOOKINGS The Journal is published quarterly and the 1999 subscription prices are: ¥36 400 (Japan) and A\$485.00/US\$300.00 (rest of world). The Journal is despatched to subscribers outside Australia by TNT Mailfast.

All matters relating to subscriptions, advertisement bookings, back issues, offprints and general enquiries should be sent to: Blackwell Science Asia, PO Box 378 (54 University Street), Carlton South, Victoria 3053, Australia. Email: <info@blacksci-asia.com.au>; fax: +61 3 9347 5001; tel: +61 3 9347 0300. Blackwell Science Asia provides a free-dial (Japanese language) service from Japan (tel: 00 31 61 6238).

THE JAPANESE SOCIETY OF PHYCOLOGY We invite anyone who is interested in any aspect of phycology to become a member of The Japanese Society of Phycology. As a member, you will receive *Phycological Research* free of charge. The annual membership fee for individuals is ¥8000. Members who reside outside Japan will receive the English journal *Phycological Research* only and the annual

membership fee is reduced to ¥7000 for standard members and ¥5000 for student members. Those who wish to join the Society should send the application form (at back of the Journal) together with payment to the Membership Secretary: Dr Koji Iwamoto, Institute of Biological Sciences, University of Tsukuba, 1-1-1 Tennoudai, Tsukuba city, Ibaraki 305-8572, Japan (fax: +81 298 53 6614; email: <ivanov@anet.ne.jp>).

Members who wish to claim for missing or damaged issues of the Journal should contact the Membership Secretary.

ABSTRACTING AND INDEXING SERVICES This journal is indexed by *BIOSIS Database*, *Cambridge Scientific Abstracts*, *Chemical Abstracts Service*, *Ecological Abstracts*, *EMBASE/Excerpta Medica*, *GEOBASE*, *UnCover*, *University Microfilms* and *Zoological Record*.

COPYRIGHT AND PHOTOCOPYING © 1999 Blackwell Science Asia Pty Ltd. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Science Asia Pty Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$14.00 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the publisher. 1322-0829/99 \$14.00

Publication of *Phycological Research* has been supported in part by a Grant-in-Aid for Publication of Scientific Results from the Ministry of Education, Science and Culture, Japan.

Cover Stand of the intertidal clonal alga *Mazzaella cornucopiae* (Rhodophyta, Gigartinales) from Barkley Sound Pacific Canada. Photograph by Ricardo Scrosati.

The Japanese Society of Phycology

Officers for 1999–2000

President: Terumitsu Hori, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan

Secretary: Shinichi Miyamura, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan

Membership secretary: Koji Iwamoto, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan

Treasurer: Takeshi Nakayama, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan

Members of Executive Council 1999–2000

Tetsuro Ajisaka *Kyoto University*
Yusho Aruga
Yoshiaki Hara *Yamagata University*
Takeo Horiguchi *Hokkaido University*
Terunobu Ichimura *Hokkaido University*
Isao Inouye *University of Tsukuba*
Shigeo Kawaguchi *Kyushu University*
Miyuki Maegawa *Mie University*
Shigeki Mayama *Tokyo Gakugei University*

Hiroyuki Nakahara *Kyoto University*
Masao Ohno *Kochi University*
Shuji Ohtani *Shimane University*
Naotsune Saga *Tokai University*
Yoshihiro Shiraiwa *University of Tsukuba*
Yasutsugu Yokohama *University of Tsukuba*
Makoto Yoshizaki *Toho University*
Toshio Yotsui *Nagasaki Prefectural Institute of Fisheries*

JOIN THE JAPANESE SOCIETY OF PHYCOLOGY AND RECEIVE FOUR ISSUES OF *PHYCOLOGICAL RESEARCH* PER YEAR FREE OF CHARGE

The Japanese Society of Phycology, founded in 1952, currently has 760 members (including 105 overseas members). The Society is open to anyone who is interested in pure or applied aspects of phycology.

Application for membership

(Please type or write in block letters)

Membership starts from 1999

Name in full: _____
(Family name) (Given name and initials)

Mailing address: _____

(Postal code) (Country)

Telephone: _____ Fax: _____

E-mail: _____ Interests: _____

Signature: _____ Date: _____

The annual fee for individual members is ¥8000
(¥7000 for members who reside outside Japan, ¥5000 for students who submit a verifying statement signed by their Chairperson or Head of Department)

Payment by: Visa MasterCard American Express

Card number: _____ - _____ - _____ - _____ Expiry date: _____

Signature: _____

International giro postal transfer (Postal Account No.: 01320-4-48748)

International postal money order

Send application form to: Dr Koji Iwamoto
Institute of Biological Sciences
University of Tsukuba
1-1-1 Tennoudai, Tsukuba city
Ibaraki 305-8572, Japan
Fax: +81 852 32 6259; email: <ivanov@anet.ne.jp>

Phycological Research

Volume 47 • Issue 3 • September 1999

Announcement	i
Gigartinales symposium	
Robert E. DeWreede	
<i>The Gigartinales (Rhodophyta): An introduction to some current research</i>	135
Max H. Hommersand, Suzanne Fredericq, D. Wilson Freshwater and Jeffery Hughey	
<i>Recent developments in the systematics of the Gigartinales, Rhodophyta) based on rbcL sequence analysis and morphological evidence</i>	139
Ricardo Scrosati and Robert E. DeWreede	
<i>Demographic models to simulate the stable ratio between ecologically similar gametophytes and tetrasporophytes in populations of the Gigartinales (Rhodophyta)</i>	153
Emily C. Bell	
<i>Applying flow tank measurements to the surf zone: Predicting dislodgment of the Gigartinales</i>	159
Thierry Chopin, Brian F. Kerin and René Mazerolle	
<i>Phycocolloid chemistry as a taxonomic indicator of phylogeny in the Gigartinales, Rhodophyta: A review and current developments using Fourier transform infrared diffuse reflectance spectroscopy</i>	167
Original articles	
Shigeto Otsuka, Shoichiro Suda, Renhui Li, Masayuki Watanabe, Hiroshi Oyaizu, Satoshi Matsumoto and Makoto M. Watanabe	
<i>Characterization of morphospecies and strains of the genus Microcystis (Cyanobacteria) for a reconsideration of species classification</i>	189
Hidetsugu Akioka, Masasuke Baba, Tomitaro Masaki and H. William Johansen	
<i>Rocky shore turfs dominated by Corallina (Corallinales, Rhodophyta) in northern Japan</i>	199
Kiyotaka Takishita and Aritsune Uchida	
<i>Molecular cloning and nucleotide sequence analysis of psbA from the dinoflagellates: Origin of the dinoflagellate plastid</i>	207
D. G. Müller, F. C. Küpper and H. Küpper	
<i>Infection experiments reveal broad host ranges of Eurychasma dicksonii (Oomycota) and Chytridium polysiphoniae (Chytridiomycota), two eukaryotic parasites in marine brown algae (Phaeophyceae)</i>	217
Megumi Ehara, Taiju Kitayama, Kazuo I. Watanabe, Yuji Inagaki, Yasuko Hayashi-Ishimaru and Takeshi Ohama	
<i>Comprehensive molecular phylogenetic analysis of a heterokont alga (NIES 548) using genes from all three cellular compartments</i>	225
Corrigendum	232

b

Blackwell
Science
Asia



1322-0829(199909)47:3;1-7