
Phycological Research

Volume 48 • Issue 3 • September 2000

ISSN 1322-0829



Blackwell Science Asia

The Japanese Society of Phycology

Phycological Research

Taizo Motomura

Institute of Algological Research, Hokkaido University, Muroran 051-0003, Japan

ASSOCIATE EDITORS

Antonio Flores-Moya Faculty of Science University of Málaga Spain

Hiroshi Kawai Kobe University Research Center for Inland Seas Kobe University

Hisayoshi Nozaki Graduate School of Science University of Tokyo

Japan

David J. Garbary Department of Biology Saint Francis Xavier University Canada

Gwang Hoon Kim Department of Biology Kongju National University Korea

Kazuo Okuda Faculty of Science Kochi University Japan

John A. West School of Botany University of Melbourne Australia

Shuji Hino Takeo Horiguchi Faculty of Science Graduate School of Yamagata University Science Hokkaido University Japan

> Akio Murakami Kobe University Research Center for Inland Seas Kobe University Japan

Christos Katsaros Faculty of Biology University of Athens Greece

Ki Wan Nam Department of Marine Biology Pukyong National University Korea

EDITORIAL ADVISORY BOARD

Yuji Fujita Nagasaki, Japan Terumitsu Hori Tsukuba, Japan Ichiro Imai Kyoto, Japan Hironao Kataoka Sendai, Japan

Dieter G. Müller Konstanz, Germany Masao Ohno Kochi, Japan Megumi Okazaki Tokyo, Japan Robert Sheath Guelph, Canada

John W. La Claire II

School of Biological

University of Texas at

Sciences

Austin

USA

Makoto M. Watanabe Tsukuba, Japan Yasutsugu Yokohama Shizugawa, Japan Isao Inouye Tsukba, Japan

AIMS AND SCOPE Phycological research is published by the Japanese Society of Phycology and complements the Japanese Journal of Phycology. The journal publishes international, peerreviewed research dealing with all aspects of phycology to facilitate the international exchange of results. Phycological Research has been credited by the International Association for Plant Taxonomy for the purpose of registration of new non-vascular plant names (including fossils). For further information see http://bgbm3.bgbm.fu-berlin.de/iapt/registration/journals/htm. Publication of Phycological Research has been supported by a Grant-in-Aid for Publication of Scientific Results from the Ministry of Education, Science and Culture, Japan

EDITORIAL CORRESPONDENCE All material for publication should be sent to the Editor-in-Chief, Taizo Motomura, Institute of Algological Research, Hokkaido University, Muroran 051-0003, Japan (fax: [+81] 143-22 4135; email: motomura@bio.sci.hokudai.ac.jp). For details concerning the submission of manuscripts, please refer to the Notice to Contributors at the back of most issues of the journal or visit the journal

ABSTRACTING AND INDEXING SERVICES The journal is indexed by BIOSIS Database, Cambridge Scientific Abstracts, Chemical Abstracts Service, Ecological Abstracts, EMBASE/Excerpta Medica, GEOBASE, UnCover, University Microfilms and Zoological Record.

BUSINESS CORRESPONDENCE AND ADVERTISEMENT BOOKING All matters relating to orders, subscriptions, back issues, offprints, general enquiries and advertisement bookings should be addressed to: Blackwell Science Asia Pty Ltd, PO Box 378, Carlton South, Victoria 3053, Australia (tel: [+61] 3 9349 0300; fax: [+61] 3 9347 5001; email: info@blacksci-asia.com.au; home page: http://www. blackwell-science.com.australia).

Blackwell Science Asia provides a free-dial (Japanese language) service from Japan (tel: 005 531 61 6238).

SUBSCRIPTION RATES The journal is published four times a year and the subscription prices for 2000 are: ¥38,220/US\$315 per annum. For Australian subscribers the subscription price is A\$525.00 which includes the relevant GST. The journal is despatched to subscribers outside Japan by TNT mailfast.

THE JAPANESE SOCIETY OF PHYCOLOGY We invite anyone who is interested in any aspect of phycology to become a member of the Society. As a member you will receive Phycological Research and the Japanese Journal of Phycology free of charge. The annual membership fee for individuals ¥8000. [Members who reside outside Japan will receive only the English language journal Phycological Research and the annual membership fee is ¥7000 (standard), ¥5000 (student).]

Those who wish to join the Society should send the application form (at the back of each issue of the journal), together with payment, to the Membership Secretary: Dr Koji Iwamoto, at the address given on the form. Members who wish to claim for missing or damaged issues should contact the Membership Secretary.

COPYRIGHT AND PHOTOCOPYING @ 2000 Japanese Society of Phycology. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Science Asia Pty Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided that the base fee of US\$15.00 per copy is paid directly to: CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the publisher. ISSN: 1322-0829/2000. \$15.00.

DISCLAIMER The Publisher and the Editors cannot be held responsible for errors or any consequences arising from the use of information contained in this journal. Publication of advertisements does not constitute any endorsement by the Publisher or the Editors of the products advertised.

The views and opinions expressed do not necessarily reflect those of the Society or of the Editor.

This journal is printed on acid-free paper.

Cover Phase contrast microscopy of Chaetoceros puketensis sp. nov. See the text of J. E. B. Rines, P. Boonruang and E. C. Theriot in this issue.

Production Editor: Ann Seward (email: ann.seward@blacksci-asia.com.au) Visit the journal website at: www.blackwell-science.com/pre

The Japanese Society of Phycology

Officers for 1999-2000

President: Terumitsu Hori, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan

Secretary: Shinichi Miyamura, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan

Membership secretary: Koji Iwamoto, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan

Treasurer: Takeshi Nakayama, Institute of Biological Sciences, University of Tsukuba, Tsukuba, Ibaraki 305-8572, Japan

Members of Executive Council 1999-2000

Tetsuro Ajisaka Kyoto University
Yusho Aruga Tokyo University of Agriculture
Yoshiaki Hara Yamagata University
Takeo Horiguchi Hokkaido University
Terunobu Ichimura Hokkaido University
Isao Inouye University of Tsukuba
Shigeo Kawaguchi Kyushu University
Miyuki Maegawa Mie University
Shigeki Mayama Tokyo Gakugei University

Hiroyuki Nakahara Kyoto University
Masao Ohno Kochi University
Shuji Ohtani Shimane University
Naotsune Saga Tokai University
Yoshihiro Shiraiwa University of Tsukuba
Makoto Yoshizaki Toho University
Toshio Yotsui Nagasaki Prefectural Institute of Fisheries
Shin Watanabe Toyama University

JOIN THE JAPANESE SOCIETY OF PHYCOLOGY AND RECEIVE FOUR ISSUES OF PHYCOLOGICAL RESEARCH PER YEAR FREE OF CHARGE

The Japanese Society of Phycology, founded in 1952, currently has 760 members (including 105 overseas members). The Society is open to anyone who is interested in pure or applied aspects of phycology.

Application for membership Membership starts from 2000 (Please type or write in block letters) ' (Given name and initials) Mailing address: ____ (Country) (Postal code) Fax: ____ Interests: ____ Date: The annual fee for individual members is ¥8000 (¥7000 for members who reside outside Japan, ¥5000 for students who submit a verifying statement signed by their Chairperson or Head of Department) ☐ Visa ☐ MasterCard ☐ American Express Payment by: Card number: ______ Expiry date: ____ Signature: __ ☐ International giro postal transfer (Postal Account No.: 01320-4-48748) ☐ International postal money order Send application form to: Dr Koji Iwamoto Institute of Biological Sciences University of Tsukuba

> 1-1-1 Tennoudai, Tsukuba city Ibaraki 305-8572, Japan

Fax: +81 852 32 6259; email: ivanov@anet.ne.jp

Phycological Research

Volume 48 • Issue 3 • September 2000

Tadao Yoshida, Valérie Stiger and Takeo Horiguchi	
Sargassum boreale sp. nov. (Fucales, Phaeophyceae) from Hokkaido, Japan	125
Salgassam Borsaic Sp. 1101. (Facales, Friacophysicals) from Horizado, Capan	120
Nair S. Yokoya	
Apical callus formation and plant regeneration controlled by plant growth regulators on axenic	
culture of the red alga Gracilariopsis tenuifrons (Gracilariales, Rhodophyta)	133
Kyoko Hatano, Mikako Yamamoto, Yuki Yamada and Takahito Nishikata	
Zoospore-specific antigen as a useful marker for molecular analysis of net formation in	1.10
Hydrodictyon reticulatum (Chlorococcales, Chlorophyceae)	143
Stuart D. Sym, Masanobu Kawachi and Isao Inouye	
Diversity of swimming behavior in Pyramimonas (Prasinophyceae)	149
- Transition of Committing Contains in Cytamine in Cyt	113
Kyoko Hatano and Junko Ueda	
Effects of concanavalin A on the net formation of zoospores in Hydrodictyon reticulatum	
(Chlorococcales, Chlorophyceae)	155
J. E. B. Rines, P. Boonruang and E. C. Theriot	
Chaetoceros phuketensis sp. nov. (Bacillariophyceae): a new species from the Andaman Sea	161
production (authorized operator), a new operator from the random cou	101
Wataru Matsumura, Hajime Yasui and Hirotoshi Yamamoto	
Mariculture of Laminaria japonica (Laminariales, Phaeophyceae) using protoplast regeneration	169
Xing-Hong Yan and Yusho Aruga	
Genetic analysis of artificial pigmentation mutants in Porphyra yezoensis Ueda (Bangiales,	177
Rhodophyta)	177
Ryuta Terada and Hirotoshi Yamamoto	
A taxonomic study on two Japanese species of Gracilaria: Gracilaria shimodensis sp. nov.	
and Gracilaria blodgettii (Gracilariales, Rhodophyta)	189
Niels Daugbjerg, Harvey J. Marchant, Helge A. Thomsen	
Life history stages of Pyramimonas tychotreta (Prasinophyceae, Chlorophyta), a marine	
flagellate from the Ross Sea, Antarctica	199
Michael J. Wynne	
Further connections between the benthic marine algal floras of the northern Arabian Sea	
and Japan	211





1322-0829(200009)48:3;1-Q