


Phycological Research

Volume 49 • Issue 3 • September 2001

ISSN 1322-0829



b

Blackwell
Science
Asia

The Japanese
Society of
Phycology

Phycological Research

EDITOR-IN-CHIEF

Taizo Motomura

Institute of Algological Research, Hokkaido University, Muroran 051-0003, Japan

ASSOCIATE EDITORS

Put O. Ang Jr
Department of Biology
Chinese University of
Hong Kong
China

Antonio Flores-Moya
Faculty of Science
University of Málaga
Spain

David J. Garbary
Department of Biology
Saint Francis Xavier
University
Canada

Shuji Hino
Faculty of Science
Yamagata University
Japan

Takeo Horiguchi
Graduate School of
Science
Hokkaido University
Japan

Christos Katsaros
Faculty of Biology
University of Athens
Greece

Hiroshi Kawai
Kobe University
Research Center for
Inland Seas
Kobe University
Japan

Gwang Hoon Kim
Department of Biology
Kongju National University
Korea

John W. La Claire II
School of Biological
Sciences
University of Texas at
Austin
USA

Akio Murakami
Kobe University
Research Center for
Inland Seas
Kobe University
Japan

Ki Wan Nam
Department of Marine
Biology
Pukyong National
University
Korea

Hisayoshi Nozaki
Graduate School of
Science
University of Tokyo
Japan

Kazuo Okuda
Faculty of Science
Kochi University
Japan

John A. West
School of Botany
University of Melbourne
Australia

Giuseppe C. Zuccarello
School of Biological
Science
University of New
South Wales
Australia

EDITORIAL ADVISORY BOARD

Yuji Fujita Nagasaki, Japan
Terumitsu Hori Tsukuba, Japan
Ichiro Imai Kyoto, Japan
Hironao Kataoka Sendai, Japan

Dieter G. Müller Konstanz, Germany
Masao Ohno Kochi, Japan
Megumi Okazaki Tokyo, Japan
Robert Sheath Guelph, Canada

Makoto M. Watanabe Tsukuba, Japan
Yasutsugu Yokohama Shizuoka, Japan
Isao Inouye Tsukuba, Japan

AIMS AND SCOPE *Phycological Research* is published by the Japanese Society of Phycology and complements the *Japanese Journal of Phycology*. The journal publishes international, peer-reviewed research dealing with all aspects of phycology to facilitate the international exchange of results. All articles are peer-reviewed by at least two researchers expert in the field of the submitted paper. *Phycological Research* has been credited by the International Association for Plant Taxonomy for the purpose of registration of new non-vascular plant names (including fossils). For further information see <http://bgbm3.bgbm.fu-berlin.de/iapt/registration/journals/htm>. Publication of *Phycological Research* has been supported by a Grant-in-Aid for Publication of Scientific Results from the Ministry of Education, Science and Culture, Japan.

ABSTRACTING AND INDEXING SERVICES The journal is indexed by BIOSIS Database, Cambridge Scientific Abstracts, Chemical Abstracts Service, Ecological Abstracts, EMBASE/Excerpta Medica, GEOBASE, UnCover, University Microfilms and Zoological Record.

EDITORIAL CORRESPONDENCE All material for publication should be sent to the Editor-in-Chief, Taizo Motomura, Muroran Marine Stations, Field Science Centre for Northern Biosphere, Hokkaido University, Muroran 051-0003, Japan (fax: (+81) 143 22 4135; email: motomura@bio.sci.hokudai.ac.jp). For details instructions concerning the submission of manuscripts, please refer to the Instructions to Authors at the back of a recent issue of the journal or visit the journal web page.

THE JAPANESE SOCIETY OF PHYCOLOGY We invite anyone who is interested in any aspect of phycology to become a member of the Society. As a member you will receive *Phycological Research* and the *Japanese Journal of Phycology* free of charge. The annual membership fee for individuals ¥8000. (Members who reside outside Japan will receive only the English language journal *Phycological Research* and the annual membership fee is ¥7000 (standard), ¥5000 (student).)

Those who wish to join the Society should send the application form (at the back of each issue of the journal), together with payment, to the Membership Secretary: Dr Koji Iwamoto, at the address given on the form. Members who wish to claim for missing or damaged issues should contact the Membership Secretary.

Production Editor: Heidi Allen (email: heidi.allen@blacksci-asia.com.au)
Visit the journal website at: www.blackwell-science.com/pre

BUSINESS CORRESPONDENCE AND ADVERTISEMENT BOOKING

All matters relating to orders, subscriptions, back issues, offprints, advertisement bookings and general enquiries should be addressed to: Blackwell Science Asia Pty Ltd, PO Box 378, Carlton South, Victoria 3053, Australia (tel: (+61) 3 9349 0300; fax: (+61) 3 9347 5001; email: info@blacksci-asia.com.au; URL: www.blackwell-science.com/pre).

Blackwell Science Asia's Tokyo Office has Japanese speakers available to answer queries on tel: 03 5802 6781; fax: 03 5802 6782. (For international calls, the country code for Japan is 81.)

SUBSCRIPTION RATES The journal is published four times per year and the prices for 2001 are as follows: *Institution:* Aus\$604 (Australia); Aus\$549 (New Zealand); ¥40 900 (Japan); US\$335 (rest of world). *Personal:* Aus\$243 (Australia); Aus\$221 (New Zealand); US\$135 (rest of world). For online subscription prices please contact subs@blacksci-asia.com.au. The journal is despatched to subscribers by surface air-lifted delivery.

COPYRIGHT AND PHOTOCOPYING © 2001 Japanese Society of Phycology. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Science Asia Pty Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided that the base fee of US\$15 per copy is paid directly to: CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the publisher. ISSN: 1322-0829/2001. US\$15.

DISCLAIMER The Publisher, the Society and the Editors cannot be held responsible for errors or any consequences arising from the use of information contained in this journal; the views and opinions expressed do not necessarily reflect those of the Publisher, the Society or the Editors, neither does the publication of advertisements constitute any endorsement by the Publisher, the Society or the Editors of the products advertised.

This journal is printed on acid-free paper.

Cover *Caloglossa leprieurii* 2757 from Victoria. This isolate commonly showed 'mixed-phase' reproduction with viable tetrasporangia and spermatangia. Usually the spores developed into male and female gametophytes that also had tetrasporangia. The spermatia were viable and when combined with the 2757 female viable cystocarps were produced.

The Japanese Society of Phycology

Officers for 2001-2002

President: Yoshiaki Hara, Faculty of Science, Yamagata University, Yamagata 990-8560, Japan

Secretary: Tasuku Hishinuma, Faculty of Science, Yamagata University, Yamagata 990-8560, Japan

Membership secretary: Ichiro Mine, Faculty of Science, Kochi University, Kochi 780-8520, Japan

Treasurer: Naoto Hanzawa, Faculty of Science, Yamagata University, Yamagata 990-8560, Japan

Members of Executive Council 2001-2002

Tetsuro Ajisaka *Kyoto University*
Hideomi Amano *Mie University*
Terumitsu Hori *University of Tsukuba*
Takeo Horiguchi *Hokkaido University*
Daisuke Fujita *Toyama Prefectural Fisheries Research Institute*

Hiroshi Kawai *Kobe University*
Masahiko Idei *Bunkyo University Women's College*
Masafumi Iima *Nagasaki University*
Taku Misonou *Yamanashi University*
Taizo Motomura *Hokkaido University*

Tamotsu Nagumo *The Nippon Dental University*
Tadahide Noro *Kagoshima University*
Masao Ohno *Kochi University*
Munekatsu Saitoh *Morioka Junior College*
Jiro Tanaka *Tokyo University of Fisheries*
Toshinobu Terawaki *National Research Institute of Fisheries and Environment of Inland Sea*
Yasutsugu Yokohama *Shizugawa Nature Center*
Makoto M. Watanabe *National Institute for Environmental Studies*

JOIN THE JAPANESE SOCIETY OF PHYCOLOGY AND RECEIVE FOUR ISSUES OF *PHYCOLOGICAL RESEARCH* PER YEAR FREE OF CHARGE

The Japanese Society of Phycology, founded in 1952, currently has 760 members (including 105 overseas members). The Society is open to anyone who is interested in pure or applied aspects of phycology.

Application for membership

(Please type or write in block letters)

Membership starts from 2001

Name in full: _____
(Family name) (Given name and initials)

Mailing address: _____

(Postal code) (Country)

Telephone: _____ Fax: _____

E-mail: _____ Interests: _____

Signature: _____ Date: _____

The annual fee for individual members is ¥8000

(¥7000 for members who reside outside Japan, ¥5000 for students who submit a verifying statement signed by their Chairperson or Head of Department)

Payment by: ☐ Visa ☐ MasterCard ☐ American Express

Card number: _____ - _____ - _____ - _____ Expiry date: _____

Signature: _____

☐ International giro postal transfer (Postal Account No.: 01320-4-48748)

☐ International postal money order

Send application form to: Dr Ichiro Mine
Faculty of Science
Kochi University
2-5-1 Akebono-cho,
Kochi 780-8520, Japan
Fax: +81 88 844 8356; email: jsphycol@anet.ne.jp

Phycological Research

Volume 49 • Issue 3 • September 2001

- Edison José de Paula, Cintia Erbert and Ricardo Toledo Lima Pereira
Growth rate of the carrageenophyte Kappaphycus alvarezii (Rhodophyta, Gigartinales) in vitro 155
- Satoko Sekida, Takeo Horiguchi and Kazuo Okuda
Development of the cell covering in the dinoflagellate Scrippsiella hexapraeicingula (Peridiniales, Dinophyceae) 163
- John M. Huisman
Echinophycus minutus (Rhodomelaceae, Ceramiales), a new red algal genus and species from north-western Australia 177
- John A. West, Giuseppe C. Zuccarello, Mitsunobu Kamiya
Reproductive patterns of Caloglossa species (Delesseriaceae, Rhodophyta) from Australia and New Zealand: multiple origins of asexuality in C. lepieurii. Literature review on apomixis, mixed-phase, bisexuality and sexual compatibility 183
- Atsushi Kato, Hirofumi Aruga and Taizo Motomura
Research note: Identification of a cDNA homologous to the cell-cycle-controlling cdc2 gene in Acrosiphonia duriuscula (acrosiphoniales, chlorophyta) 201
- Barbara E. Sullivan and Robert A. Andersen
Salinity tolerances of 62 strains of Pfiesteria and Pfiesteria-like heterotrophic flagellates (Dinophyceae) 207
- Tetsu Hirata, Jiro Tanaka, Tetsuo Iwami, Takashi Ohmi, Akihiro Dazai, Masakazu Aoki, Hajime Veda, Yasutaka Tsuchiya, Toshihiko Sato and Yasutsugu Yokohama
Ecological studies on the community of drifting seaweeds in the south-eastern coastal waters of Izu Peninsula, central Japan. I: Seasonal changes of plants in species composition, appearance, number of species and size 215
- Javier Carmona Jiménez and Orlando Necchi
Systematics and distribution of Thorea (Thoreaceae, Rhodophyta) from central Mexico and south-eastern Brazil 231
- Russell D. Gillespie and Alan T. Critchley
Assessment of spatial and temporal variability of three Sargassum species (Fucales, Phaeophyta) from KwaZulu-Natal, South Africa 241
- Hong Wei Wang, Shigeo Kawaguchi, Takeo Horiguchi and Michio Masuda
A morphological and molecular assessment of the genus Prionitis J. Agardh (Halymeniaceae, Rhodophyta) 251
-

b

Blackwell
Science
Asia



1322-0829(200109)49:3;1-T